lut

Notice of Allowability	Application No.	Applicant(s)		
	09/942,254	WIEDEMANN, ULRIG	IEDEMANN, ULRICH	
	Examiner	Art Unit		
	Sameh H. Tawfik	3721		
The MAILING DATE of this communication appeal all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not include n will be mailed in due o	d course. THIS	
2. The allowed claim(s) is/are <u>19-23,25,26 and 31-43</u> .	Formations			
3. The drawings filed on 29 August 2001 are accepted by the	Examiner.			
4.	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application. iitted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review (PTO s Amendment / Comment or in the C .84(c)) should be written on the drawi he header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL r	national stage application of the front (not the fd). must be submitted. N	uirements OTICE OF back) of	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal F 6. Interview Summary Paper No./Mail Da 7. Examiner's Amendo 8. Examiner's Statemo 9. Other	r (PTO-413), tte ment/Comment		
		EUGEN PRIMARY E		

Art Unit: 3721

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The prior art of record fails to disclose or suggest the claimed product pasteurizing section for a beverage comprising spray arrangements with a spray nozzle being configured to spray a stream of liquid and each of the spray nozzles being disposed integrally within the roof arrangement (Fig. 2).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sameh H. Tawfik whose telephone number is (703) 308-2809. The examiner can normally be reached on Tuesday - Friday from 8:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi Rada can be reached on (703) 308-2187. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ST.

EUGENE KIM PRIMARY EXAMINER

Jan 2